

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A reflective pavement marker shell comprising:

a ~~shell having~~ at least one side wall having a reflective portion, ~~wherein said shell forms~~
and forming an interior cavity, said reflective portion having an inner surface partially defining
said cavity, said shell formed of a polymer selected from the group consisting of polyacrylate
and polycarbonate, said polymer having a tensile strength of greater than 10,000 pounds per
square inch and a flexural modulus of greater than 450,000 pounds per square inch;

~~a reflective coating covering said inner surface of said reflective portion;~~

~~a bonding coating covering at least said reflective coating; and~~

~~a filler material disposed within the interior cavity of said shell.~~
2. (Canceled)
3. (Original) A reflective pavement marker as set forth in claim 1 wherein said
polymer has an optical transmittance greater than 85%.
4. (Original) A reflective pavement marker as set forth in claim 1 wherein said
polymer is a polyacrylate.
5. (Previously Presented) A reflective pavement marker as set forth in claim 1
wherein said polymer comprises methyl methacrylate.

6. (Previously Presented) A reflective pavement marker as set forth in claim 1 wherein said polymer is a copolymer of ethyl acrylate and methyl methacrylate.

7. (Previously Presented) A reflective pavement marker as set forth in claim 1 wherein said shell includes a top wall and side wall that are integral and formed as one piece.

8. (Original) A reflective pavement marker as set forth in claim 1 wherein said reflective portion includes a plurality of integrally formed cube-shaped members arranged in a grid pattern.

9. (Original) A reflective pavement marker as set forth in claim 1 wherein said reflective coating is a metal material.

10. (Original) A reflective pavement marker as set forth in claim 1 wherein said bonding coating is a bonding primer.

11. (Original) A reflective pavement marker as set forth in claim 10 wherein said bonding primer is an acrylic latex primer.

12. (Original) A reflective pavement marker as set forth in claim 10 wherein said bonding primer is a water based primer.

13. (Currently Amended) A reflective pavement marker shell comprising:

~~a shell having~~ at least one side wall having a reflective portion, ~~wherein said shell defines~~
and forming an interior cavity, and said reflective portion and said shell at least one side wall are
integral and formed as one piece, said shell formed of a polymer selected from the group
consisting of polyacrylate and polycarbonate, said polymer having a tensile strength of greater
than 10,000 pounds per square inch and a flexural modulus of greater than 450,000 pounds per
square inch;

~~wherein~~ said reflective portion ~~includes~~ comprising a plurality of integrally formed cube-
shaped members arranged in a grid pattern on an inner surface;

~~a reflective coating covering said inner surface of said reflective portion, wherein said~~
~~reflective coating is a metal material;~~

~~a bonding coating covering said reflective coating to prevent separation of said reflective~~
~~coating from said reflective portion, wherein said bonding coating is a bonding primer; and~~

~~a filler material disposed within said cavity of said shell.~~

14. (Canceled)

15. (Original) A reflective pavement marker as set forth in claim 13 wherein said
polymer has an optical transmittance greater than 85%.

16. (Original) A reflective pavement marker as set forth in claim 13 wherein said
polymer is a polyacrylate.

17. (Previously Presented) A reflective pavement marker as set forth in claim 13 wherein said polymer comprises methyl methacrylate.

18. (Previously Presented) A reflective pavement marker as set forth in claim 13 wherein said polymer is a copolymer of ethyl acrylate and methyl methacrylate.

19. (Original) A reflective pavement marker as set forth in claim 13 wherein said bonding primer is an acrylic latex primer.

20. (Currently Amended) A method of forming a reflective pavement marker, said method comprising ~~the steps of~~:

forming a shell having at least one reflective portion with an inner surface wherein the shell forms an interior cavity, said shell formed of a polymer selected from the group consisting of polyacrylate and polycarbonate, said polymer having a tensile strength of greater than 10,000 pounds per square inch and a flexural modulus of greater than 450,000 pounds per square inch;

coating said inner surface with a metal material;

covering at least said metal material with a bonding compound; and

filling the cavity of the shell with a filler material.

21. (Canceled)

22. (Previously Presented) A method of forming a reflective pavement marker as set forth in claim 20 wherein said polymer has an optical transmittance greater than 85%.

23. (Previously Presented) A method of forming a reflective pavement marker as set forth in claim 20 wherein said polymer is a polyacrylate.

24. (Previously Presented) A method of forming a reflective pavement marker as set forth in claim 20 wherein said polymer comprises methyl methacrylate.

25. (Previously Presented) A method of forming a reflective pavement marker as set forth in claim 20 wherein said polymer is a copolymer of ethyl acrylate and methyl methacrylate.